Non Responsive

June 17, 2009

Non Responsive

Non Responsive

Non Responsive

October 9, 2009

Non Responsive

Non Responsive

Non Responsive

Non Responsive

3

Non Responsive

For Immediate Release December 15, 2009

December 15, 2009

Non Responsive

(4)

Congress of the United States
Washington, DC 20515

November 18, 2015

The Honorable Ashton B. Carter
Secretary of Defense
1000 Defense Pentagon
Washington, DC 23301-1000

Dear Secretary Carter:

President Obama and his Administration appear to be intent on pursuing a deeply misguided policy of emptying the detention facility at Guantanamo Bay (GTMO) and transferring the detainees to prisons in the United States. We view this as a grave strategic error, and strongly oppose these terrorists being relocated to anywhere in the United States. GTMO is unique in its capability to hold the world's most dangerous terrorists in an environment that is humane and safe for both detainees and guards. As you know, GTMO has also been a huge success for our intelligence community.

One potential destination for the terrorists currently held at GTMO is the United States Penitentiary, Administrative Maximum Facility near Florence, Colorado. If the detainees are transferred there, the dire consequences of this move will be felt by Florence and the surrounding communities long after the end of the current administration. It will be the state and local officials who will be left to deal the predictable aftermath that comes with bringing these detainees to the Fremont County community, such as an increased risk of terror attacks and a severe strain on our relationships with allied military commanders. It is critical that officials and residents have a complete understanding of what may be foisted upon them before a final decision is reached.

To that end, we strongly request your assistance in arranging a delegation of federal, state, and local officials from the Fremont County area to travel to GTMO to observe the camp and its detainees and its safety measures. We believe that state legislators, county commissioners, mayors, and other local officials have the right to completely understand what their communities will face. These officials need to visit the GTMO facility, receive unclassified briefings of known threats, and be given as much access to information regarding the detainees as is feasible.

As it appears that a plan for closing GTMO may be released in the coming days, it is critical that this visit take place as soon as possible. We look forward to your timely response.

PRINTED ON RECYCLED PAPER

OSD013833-15/CMD018286-15

Sincerely,

Doug Lamborn (CO-05)
Member of Congress

Scott Tipton (CO-03)
Member of Congress

Ken Buck (CO-04)
Member of Congress

(5)

Congress of the United States
Washington, DC 20515

November 9, 2015

The Honorable Ashton B. Carter
Secretary of Defense
1000 Defense Pentagon
Washington, DC 23301-1000

Dear Secretary Carter:

President Obama and his Administration appear to be intent on pursuing a deeply misguided policy of emptying the detention facility at Guantanamo Bay (GTMO) and transferring the detainees to prisons in the United States. We view this as a grave strategic error, and strongly oppose these terrorists being relocated to anywhere in the United States. GTMO is unique in its capability to hold the world's most dangerous terrorists in an environment that is humane and safe for both detainees and guards. As you know, GTMO has also been a huge success for our intelligence community.

One potential destination for the terrorists currently held at GTMO is the United States Disciplinary Barracks at Fort Leavenworth, Kansas. If the detainees are transferred there, the dire consequences of this move will be felt by Leavenworth and the surrounding communities long after the end of the current administration. It will be the state and local officials who will be left to deal the predictable aftermath that comes with bringing these detainees to the Leavenworth community, such as an increased risk of terror attacks and a severe strain on our relationships with allied military commanders. It is critical that officials and residents have a complete understanding of what may be foisted upon them before a final decision is reached.

To that end, we strongly request your assistance in arranging a delegation of federal, state, and local officials from the Leavenworth area to travel to GTMO to observe the camp and its detainees and its safety measures. We believe that state legislators, county commissioners, mayors, and other local officials have the right to completely understand what their communities will face. These officials need to visit the GTMO facility, receive unclassified briefings of known threats, and be given as much access to information regarding the detainees as is feasible.

As it appears that a plan for closing GTMO may be released in the coming days, it is critical that this visit take place as soon as possible. We look forward to your timely response.

Sincerely,

Mike Pompeo (KS-04)
Member of Congress

Lynn Jenkins, CPA (KS-02)
Member of Congress

OSD013430-15/CMD017740-15

6

Department of Defense Costs
Site Surveys of US Locations
for Possible Guantanamo Detainee Relocation

LOCATION	Air Fare	Per Diem	Incidentals	Total
Ft Leavenworth, KS	$3160.85	$1281.00	$3245.35	$7687.20
Charleston, SC	$2430.80	$1405.00	$3322.20	$7158.00
Florence, CO	$4943.50	$2480.56	$3640.27	$11064.33
TOTAL	$10535.15	$5166.56	$10207.82	**$25909.53**

From: (b)(6) OSD OUSD ATL (US)
Sent: Mon, 26 Oct 2015 15:39:17 +0000
To: Stack, Alisa M SES OSD OUSD POLICY (b)(6) OSD OUSD POLICY (US)
Subject: .pdf cost file
Attachments: ROM GTMO Costs for 60 Detainees - 23 Oct 2015 - for DepSec.pdf, smime.p7s

(b)(6)

(b)(6)
Deputy for Facilities Investment and Management (FIM)
Office of the Assistant Secretary of Defense for
Energy, Installations and Environment
The Pentagon, (b)(6)
Washington, DC 20301
(b)(6)

ROM Capital Investment Costs *

(b)(5)

Colorado Department of Corrections
Facility Management Services
2013 Facility Overview

PPM Checklist for March 2014

2013 Building Inventory

Space Utilization Legend			
Item to Note	Housing	Clinical	Recreation
Combined	FS/Lndry	Other	Cci

DOC #	State Risk #	Building Name	Vacant	Square Feet	Total Square Feet	Built
		Centennial Correctional Facility (CCF)				
CE-001	COCE-3018	CCFN - Centennial Correctional Facility North	N	67,808		1980
CE-003	COCE-3020	CCFN - Living Units	N	98,277		1980
CE-004	COCE-0004	CCFS - CSPII Core & Towers (Towers/Partial Core - Vacant)	P	448,222		2010
CE-005	COCE-0005	CCFS - CSPII Gatehouse	N	1,208		2010
CE-006	COCE-0006	CCFS - CSPII Vehicle Sally port	N	210		2010
CE-007	COCE-0007	CCFS - CSPII IPA/Switchgear	N	250		2010
CCF Square Feet:					**615,975**	
Number of Buildings:					**6**	

Facility Facts

Centennial Correctional Facility (CCF)

Contact

Address: East US Highway 50 & Evans Road
Canon City, CO 81212
PO Box 600, 81215
County: Fremont
Telephone: 719-269-5510

Facility

Year North Opened: 1980
Year South Opened: 2010
South Ground Breaking: August 31, 2007
South Dedication: August 25, 2010
South Closed: October, 2012
Gross Square Feet: 615,975
Number of Buildings: 7
Total Acres: See ECCPC
Acres Inside Perimeter: 34
Original Architect - North: Kirkham, Michael & Assoc.
Original Architect - South: CSNA Architects
Master Plan: n/a

Systems/Equipment

APENs:
Conveyance: North 1, South 7
Energy - Composting: See ECCPC
Energy - Performance Contract: n/a
Energy - Renewable: n/a
Energy - T12 to T8 Conversion: 95%, June 2012
Energy - Utility Meters: Two (2)
Fire Alarm System: Simplex (N & S)
Fire Extinguishers: South - 64 North - 90
Fire Supr. - Kitchen Hoods: 5 (Ansul)
Firing Range: ECCPC
FS/Laundry Garden: Yes
FS/Laundry Recycling: Cdbd/Stl/Plstc/Chem/Cook Oil
FS/Laundry Ozone System: Yes
FS/Laundry Yellow Grease: Reyes Disposal (TBD)
Generator: Three
HVAC - Boiler: Two Water Tube Hyronic
HVAC - Boiler: One Vertical Tube/Steam
HVAC - Chiller: Three (2-500 Ton, 1-70 Ton)
HVAC - Controls: Johnson (N), Setpoint (S)
HVAC - Cooling: Two Marley
HVAC - Other: n/a
HVAC - Personnel Boiler House: 365/24/7
Security - Perimeter: Double NLEF
Security - Scanner: 6, (4 Package, 1 Mail, 1 Pallet)
Security - Towers: One
Tanks - ASTs: 7 - 17,720 Gallons
Tanks - Propane: 1 - 100 lb & 4 - 25 lb
Tanks - UST/AST OPS ID: Facility # 14436
Tanks - UST SPCC: Terracon - Jan. 2010
Tanks - UST: n/a
Tanks - UST A/B Operator: n/a
Tanks - Water Storage: n/a
Waste Water Treatment: See ECCPC
Water Treatment: Municipal

Personnel

Deputy Director/Division I: Dona Zavislan
Warden: Travis Trani
Physical Plant Manager: Mike Fowler
Life Safety Coordinator: Jacques Wiggins
Project Representative: Lee Norgaard

Beds

	North	South
Facility Security Level:	Level IV	Level V
Offender Custody Level:	Mixed (Close & Below)	Mixed (Ad-Seg & Below)
Original Design Capacity:	336	948
Operational Capacity:	**320**	**0**
General Population:	304	0
Ad/Pun Seg and/or MCU:	16	0
Extra Beds:	*0*	*948*
Total Beds:	**320**	**948**

Cells

Cells Single-Bunked:	336	948
Cells Double-Bunked:	0	0
Total Cells:	**336**	**948**
Wet or Dry Cells:	Wet	Wet
Living Units:	Seven	Towers A,B,C
	A,B,C,D,E,F,G	2 & 3 Tiers
	Split Level, 3 Pod	8 Pods

Note: *South Towers Decommissioned 10/8/31*
Unit H Closed 10/8/12 - 128 Beds
Unit K Closed 8/15/12 - 190 Beds
CCF-S - Total of 18 GP Beds on Rolling Closure for Renovation

Montez

	North	South
Hearing Impaired:	Not Dsgnt'd	Yes
Vision:	Not Dsgnt'd	Yes
Mobility:	Not Dsgnt'd	Yes

Space Utilization

	North	South
Administration:		
Clinical:	n/a	
Correctional Industries:	n/a	n/a
Culinary Arts:	n/a	n/a
Dining:	n/a	n/a
Gatehouse:	n/a	1,208 GSF
Kitchen:	n/a	15,700 SF
Laundry:	n/a	4,195 SF
Library:		n/a
Living Units:		
Lobby:		
Maintenance:		
Programs:		
Recreation:	6,325 SF	n/a
Segregation:		
Towers:		n/a
Visiting:		
Warehouse:	n/a	n/a

Facility Facts

Centennial Correctional Facility (CCF)

Utility Providers

Electric: Black Hills Energy
Natural Gas: Asgard (Supply), Atmos (Transportation)
Water: City of Canon City
Sewer: Fremont Sanitation District

Meters

Ccf-Diesel	Multi Vendor	Centennial Correctional Facility
Ccf-Gas-1	Atmos	CCF Primary

Fire District

Canon City Area Fire Protection District
Inspector: Tim Slaughenhaupt, Fire Inspector
MOU: February 28, 2009
Phone: 719-275-8666
Adopted: 2006 International Fire Code

Capital Construction Projects

Appropriation	Project #	Facilities	Description	Beds	Legislative Bill
$ 530,000.00	P3014	CCF	Sanitary Sewer extension to Four Mile		83-0401
$ 107,100.00	P3211	CCF/SMCF/FCF	Renovate Showers		85-0250
$ 102,800,000.00	P0340	CCF-S	CSP II - New Maximum Facility	**948 Beds**	03-1256
$ 1,249,500.00	P0706	CCF-S	CSP II - Inmate In-Cell Services		07-0239
$ 36,911,874.00	P0340	CCF-S	CSP II - High Custody Expansion		07-0239
$ 2,000,000.00	P0340	CCF-S	CSP II - High Custody Expansion		08-1375
$ 1,249,592.00	P0706	CCF-S	CSP II - Inmate In-Cell Services		09-0259
$ 2,000,000.00	P0340	CCF-S	CSP II - High Custody Expansion		09-0259
$ 2,855,175.00	P0905	CCF-S	CSP II - COP Lease Payment (Re-Finance)	$13,942,350	09-0259
$ 8,048,292.00	P0905	CCF-S	CSP II - COP Lease Payment		10-1376
$ 18,434,900.00	P0905	CCF-S	CSP II - COP Lease Payment		11-0209
$ 18,430,500.00	P0905	CCF-S	CSP II - COP Lease Payment		12-
$ 18,431,100.00	P0905	CCF-S	CSP II - COP Lease Payment		13-
$ 23,580,201.00	P0340	CCF-S	CSP II - COP Interest		
$236,928,234.00					

Controlled Maintenance Projects

Appropriation	Project #	Facilities	Description	Legislative Bill
$ 39,500.00	M283	CCF	Structural Investigation	92-1345
$ 954,408.00	M310	CCF	Potable Hydronic Water	93-234 and 96-1366 and 7-215
$ 923,432.00	M702	CCF/BVCF/CTCF	Repair/Replace Asphalt	97-215 and 98-1401 and 00-1451
$ 101,704.00	M823	CCC/CCF	Repair/Replace Shower Lav Valves, Water Heaters	98-1401
$ 658,486.00	M816	AVCF/CCF/CTCF	Security Components	98-1401 and 99-215
$ 147,919.00	M908	CCF	Structural Repairs	99-0215
$ 308,538.00	M910	CCF	Paving/Walkways	99-0215
$ 571,315.00	M903	CCF/DRDC/BVCF/PMC	Electrical Improvements	99-0215
$ 438,600.00	M011	DRDC/CCF	Repair/Replace Mechanical Systems	00-1451
$ 728,646.34	M822	CCF	Repair/Replace Roofs	01/0212
$ 4,872,548.34				

16-L-0329/OUSDP/16

Facility Facts — Centennial Correctional Facility (CCF)

Emergency Projects

Expenditures	Project #	Facilities	Description	Date Complete
TBD				
$ -				

Additional Projects

Expenditures	Project #	Facilities	Description	Date Complete
TBD				
$ -				

Insurance Projects

Expenditures	Project #	Facilities	Description	Date Complete
$ 16,349.00	INK CCF	CCF-S	Tower A Flood	Spring, 2012
$ 16,349.00				

Reports

Name	A/E	Project #	Date
Structural Investigation	DMJM		8/31/1993
SD/DD Report Replace Roofing Housing Wing	Rooftech		12/7/2001
Fire Detection/Alarm/Suppression Needs	EMC Engineers, Inc.	M90005	10/1/2000

Geotechnical Reports

A/E	Type	Description	Date Complete
Ackenheil	Additional Foundation Investigation	Maximum Security Prison (CCF- North)	6/30/78
CTL Thompson	Geotechnical Investigation	CSP, Phase II (CCF-South)	8/1/07
CTL Thompson	Geotechnical Investigation	Central Warehouse Addition (ECCPC)	7/25/10

Legal

Title - Clear: No
Title - Owner: n/a
Title Encumbrance - Legal: See ECCPC
Title Encumbrance - Disputed: n/a
Legal History: n/a
Financial Obligations: Certificates of Participation for CSPII/CCF-S Construction
Other: n/a
Description: TBD

Facility Facts

Centennial Correctional Facility (CCF)

Clinical Programs

Drug and Alcohol
Relapse Prevention
Strategies for Self Improvement and Change

Medical
Chronic Care - Diabetic

Mental Health Services
Anger Management
Art groups
Assertiveness - Practical Skills for Positive Communication
Cognitive Behavioral Therapy
Cognitive Processing Therapy
Colorado Extented Anger Management
Commitment to Change
Dialectical Behavioral Therapy
Illness Management Recovery (11 Phases)
Mind Over Mood
Offender with Mental Illness Groups
Rational Behavior Therapy
Recreation Groups
Schema Therapy
Seeking Safety
Stairways - *The Next Step in Treatment for Borderline Personality*
Successful Thinking
Systems Training for *Emotional Predictability and Problem Solving*
Transition Group
Wellness Recovery Action Plan

Colorado Correctional Industries Products and Services

Agri-Business
(No Programs)

Manufacturing
(No Programs)

Services
(No Programs)

Educational Programs

Academic
Adult Basic Education (ABE)
English as a Second Language (ESL)
Grade Equivalent Diploma (GED)

Career & Technical
(No Programs)

Social Sciences
Library Services
Special Education
Thinking for a Change

Faith and Citizens Programs

Active Christian Life
Alcoholics Anonymous
Aleph Institute Service
Amazing Grace Ministry
Bible Believers
Catholic Church Services
Christian Life School
Freedom Fellowship
G.A.P. Ministries
Good News Jail & Prison Ministry
In His Name Prison Ministry
Jehovah's Witnesses
Prison Fellowship Bible Study
Potter's House Church
Shambhala - Buddhist
Wings of the Heart

Assumptions for Greenfield Manning

(b)(5)

(b)(7)(E),(b)(7)(F)

GREENFIELD C2 & STAFF

(b)(5)

(b)(5)

16-L-0329/OUSDP/20

(b)(5)

GREENFIELD C2 & STAFF

(b)(5)

(b)(5)

S-L-0329/OUSDP/21

(b)(5)

GREENFIELD GUARD FORCES

(b)(5)

GREENFIELD Guard Force

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

Media Plan for Closing the Guantanamo Bay Detention Facility
November 4, 2015

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(7)(E),(b)(7)(F)

For Official Use Only / Document Not for Public Release
Non-DoD Confinement Facilities

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. ADX Florence

(b)(5),(b)(7)(E),(b)(7)(F)

SCHEDULE

DoD Site Survey Team

Colorado Site Surveys

12 – 18 October 2015

12 Oct

- Team members fly to Colorado Springs, CO. Stay at IHG Army Hotel, Ft. Carson, CO.

13 Oct

- AM: Team travels to Canyon City, CO, to tour Colorado State Penitentiary #2. Met by Mr. Travis Trani, Warden, CSP #1
- Lunch with Mr. Rick Raemisch, Executive Director, Colorado Department of Corrections (location and time TBD)
- PM: Continue tour of CSP #2 and local area as needed.

14 Oct

- All Day: Team travels to Florence, CO, to tour BOP Medium and Maximum Security Prisons.

15 Oct

- AM: Team travels to Florence, CO, to tour BOP Administrative Maximum Security Prison (SuperMax). Will join RDML Clarke and Brig Gen Burkett, incoming Commander and Deputy Commander (respectively), JTF-GTMO, on a briefing and tour of the facility.
- 1500: Ms. Stack, (b)(6) arrive at HQ USNORTHCOM.
- 1530: Meet with (b)(6) USNORTHCOM J-3
- 1600: Meet with USNORTHCOM J-3

16 Oct

- AM: Ms. Stack, (b)(6) depart Colorado Springs, CO for DCA
- All Day: Remainder of team meets on Ft Carson to tour facilities, begin cost estimation planning.

17 Oct

- All Day: Team planning on Ft Carson

18 Oct

- Rest of team departs Colorado Springs for DCA

Non Responsive

Non Responsive

Non Responsive

Non Responsive

Non Responsive

November 30, 2012

Non Responsive

Non Responsive

Non Responsive

Non Responsive

(b)(5)

OPNAVINST 5530.14E - Chapter 8.0801(a) - Arming Requirements

NSF who regularly perform LE and PS duties, including installation entry control and patrols, shall be armed. Specific arming and weapons policy for each post shall be directed in installation post orders.

PL 107-314, Section 332(a-c) - TEMPORARY AUTHORITY FOR CONTRACTOR PERFORMANCE OF SECURITY-GUARD FUNCTIONS TO MEET INCREASED REQUIREMENTS SINCE SEPTEMBER 11, 2001

(a) CONTRACT AUTHORITY.--The Secretary of Defense or the Secretary of a military department may enter into a contract for any increased performance of security-guard functions at a military installation or facility under the jurisdiction of the Secretary undertaken in response to the terrorist attacks on the United States on September 11, 2001, and may waive the prohibition under section 2488(a) of title 10, United States Code, with respect to such contract, if--

(1) without the contract, members of the Armed Forces are or would be used to perform the increased security-guard functions; and

(2) the Secretary concerned determines that--

(A) the recruiting and training standards for the personnel who are to perform the security-guard functions at the installation or facility under the contract are comparable to the recruiting and training standards for the personnel of the Department of Defense who perform security-guard functions at military installations and facilities under the jurisdiction of the Secretary;

(B) the contractor personnel performing such functions under the contract will be effectively supervised, reviewed, and evaluated; and

(C) the performance of such functions by the contractor personnel will not result in a reduction in the security of the installation or facility.

(b) INCREASED PERFORMANCE DEFINED.--In this section, the term "increased performance", with respect to security-guard functions at a military installation or facility, means--

(1) in the case of an installation or facility where no security-guard functions were performed as of September 10, 2001, the entire scope or extent of the performance of security-guard functions at the installation or facility after such date; and

(2) in the case of an installation or facility where securityguard functions were performed within a lesser scope of requirements or to a lesser extent as of September 10, 2001, then after such date, the increment of the performance of securityguard functions at the installation or facility that exceeds such lesser scope of requirements or extent of performance.

(c) EXPIRATION OF AUTHORITY.—The authority for contractor performance of security-guard functions under this section shall terminate at the end of the three-year period beginning on the date of the enactment of this Act. The term of any contract entered into using the authority provided by this section may not extend beyond the end of such period.

DFARS 237.102-70 - Prohibition on contracting for firefighting or security-guard functions.

(a) Under 10 U.S.C. 2465, the DoD is prohibited from entering into contracts for the performance of firefighting or security-guard functions at any military installation or facility unless—
(1) The contract is to be carried out at a location outside the United States and its outlying areas at which members of the armed forces would have to be used for the performance of firefighting or security-guard functions at the

(2) The contract will be carried out on a Government-owned but privately operated installation;

(3) The contract (or renewal of a contract) is for the performance of a function under contract on September 24, 1983; or

(4) The contract—
(i) Is for the performance of firefighting functions;

(ii) Is for a period of 1 year or less; and

(iii) Covers only the performance of firefighting functions that, in the absence of the contract, would have to be performed by members of the armed forces who are not readily available to perform such functions by
(b) Under Section 2907 of Pub. L. 103-160, this prohibition does not apply to services at installations being closed (*see* Subpart 237.74).
(c) Under Section 1010 of Pub. L. 107-56, this prohibition does not apply to any contract that—
(1) Is entered into during the period of time that United States armed forces are engaged in Operation Enduring Freedom or during the period 180 days

(2) Is for the performance of security functions at any military installation or facility in the United States;

(3) Is awarded to a proximately located local or State government, or a combination of such governments, whether or not any such government is obligated to provide such services to the general public without

(4) Prescribes standards for the training and other qualifications of local government law enforcement personnel who perform security functions under the contract in accordance with criteria established by the Secretary

(d)(1) Under Section 332 of Pub. L. 107-314, as amended by Section 333 of Pub. L. 109-364 and Section 343 of Pub. L. 110-181, this prohibition does not apply to any contract that is entered into for any increased performance of security-guard functions at a military installation or facility undertaken in response to the terrorist attacks on the United States on September 11

(i) Without the contract, members of the Armed Forces are or would be used to perform the increased security-guard functions;

(ii) The agency has determined that--

(A) Recruiting and training standards for the personnel who are to perform the security-guard functions are comparable to the recruiting and training standards for DoD personnel who perform the same security-guard

(B) Contractor personnel performing such functions will be effectively supervised, reviewed, and evaluated; and

(C) Performance of such functions will not result in a reduction in the security of the installation or facility;

(iii) Contract performance will not extend beyond September 30, 2012; and

(iv) The total number of personnel employed to perform security-guard functions under all contracts entered into pursuant to this authority does not exceed the following limitations:

(A) For fiscal year 2007, the total number of such personnel employed under such contracts on October 1, 2006.

(B) For fiscal year 2008, the number equal to 90 percent of the total number of such personnel employed under such contracts on October 1, 2006.

(C) For fiscal year 2009, the number equal to 80 percent of the total number of such personnel employed under such contracts on October 1, 2006.

(D) For fiscal year 2010, the number equal to 70 percent of the total number of such personnel employed under such contracts on October 1, 2006.

(E) For fiscal year 2011, the number equal to 60 percent of the total number of such personnel employed under such contracts on October 1, 2006.

(F) For fiscal year 2012, the number equal to 50 percent of the total number of such personnel employed under such contracts on October 1, 2006.

(2) Follow the procedures at PGI 237.102-70(d) (DFARS/PGI view) to ensure that the personnel limitations specified in paragraph (d)(1)(iv) of this subsection are not exceeded.


Google earth

(b)(5)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Colorado Department of Corrections
Centennial Correctional Facility

scale 600' 400' 200' 0

north

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-D0# Centennial South - Core and Towers - Second Floor
SCALE
0'
64'
128'

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-03F Centennial South - Core and Towers - Third Floor

SCALE: 0' 64' 128'

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Core and Towers - Fourth Floor

SCALE 0 64' 128'

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-03F Centennial South - Core and Towers - Fifth Floor

SCALE 0' 64' 128'

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-DB: Centennial South - Core and Towers - Sixth Floor
SCALE:
0'
64'
128'

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-004 Centennial South - Core - Kitchen - First Floor
SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Core - Receiving / Warehouse - First Floor

SCALE

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
CE-004 Centennial South - Core - Administration - Second Floor
SCALE
0
16'
32'

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-004 Centennial South - Core - Clinic - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
CE-004 Centennial South - Core - Hub Control - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-004 Centennial South - Core - Intake / Observation - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
CE-004 Centennial South - Core - Library / Programs - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE:004 Centennial South - Core - Warden - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
CE-004 Centennial South - Core - Attorney Visiting - Fourth Floor
SCALE

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
CE-004 Centennial South - Core - Pod Managers - Fourth Floor
SCALE:
0
16'
32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Core - Fifth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Core - Sixth Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)

16-L-0329/OUSDP/80

Centennial Correctional Facility

CE-004, Centennial South - Tower A - North & East Wings - Second Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - North & East Wings - Third Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - North & East Wings - Fourth Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - North & East Wings - Fifth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower A - North & East Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - South & West Wings - First Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - South & West Wings - Second Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower A - South & West Wings - Third Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower A - South & West Wings - Fourth Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - South & West Wings - Fifth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower A - South & West Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower B - North & West Wings - First Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower B - North & West Wings - Second Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower B - North & West Wings - Fourth Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower B - North & West Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

6-L-0329/OUSDP/96

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower B - South & East Wings - First Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower B - South & East Wings - Second Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower B - South & East Wings - Third Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower B - South & East Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - North & East Wings - First Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - North & East Wings - Second Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - North & East Wings - Third Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - North & East Wings - Fourth Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

16-L-0329/OUSDP/106

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - North & East Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)

16-L-0329/OUSDP/107

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004, Centennial South - Tower C - South & West Wings - First Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - South & West Wings - Second Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - South & West Wings - Third Floor

SCALE: 0 16' 32'

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - South & West Wings - Fifth Floor

SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

CE-004 Centennial South - Tower C - South & West Wings - Sixth Floor

SCALE 0 16' 32'

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
Centennial North - Administration/Programs - Second Floor

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

Centennial North, Ground Level - Programs & Maintenance

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
Centennial North - Living Unit A - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility
Centennial North - Living Unit C - First Floor
SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)

Centennial Correctional Facility

Centennial North - Living Unit D - First Floor

SCALE

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

Centennial North - Living Unit D - Second Floor

SCALE

(b)(7)(E),(b)(7)(F)

Centennial Correctional Facility

Centennial North - Living Unit E - First Floor

SCALE

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
Centennial North - Living Unit E - Second Floor
SCALE

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)

16-L-0329/OUSDP/130

(b)(7)(E),(b)(7)(F)



(b)(7)(E),(b)(7)(F)

(b)(7)(E),(b)(7)(F)


Centennial Correctional Facility
Centennial North - Living Unit G - Second Floor
SCALE

Comparing Inmate vs. Detainee Costs

- An inmate is incarcerated for what he did; a combatant is detained to keep him off the battlefield
- Detention facilities must guard against inside AND outside threats
  - Requires hardened exteriors, smart fence, patrols around perimeter
  - Requires additional guards to escort detainees, minimizing attacks on personnel
  - Detainees kept in single cells ONLY; inmates often share cells
- Detention is NOT punishment; detention standards MUST exceed those of inmates
  - Detainees receive adequate food appropriate for their culture, extensive medical support, media and library support to keep them occupied and mentally stimulated

Congressional Notifications Regarding Site Surveys

(b)(5)

(b)(5)

(b)(5)

(b)(5)

(b)(5)

From: (b)(6) OSD OUSD ATL (US)
Sent: Wed, 21 Oct 2015 17:57:18 +0000
To: Stack, Alisa M SES OSD OUSD POLICY (US)
Cc: (b)(6) OSD OUSD POLICY (US); (b)(6)
CAPT USN OSD OUSD ATL (US)
Subject: Contracted Prison
Attachments: smime.p7s

https://oig.justice.gov/reports/2015/a1515.pdf

This IG study has 2007 costs for BOP to contract a low security prison for 2407 inmates. (b)(5)
(b)(5)
Note frequent deficiencies and performance issues identified in tables 9 and 10 and other concerns raised in this review.

For Official Use Only / Document Not for Public Release
Non-DoD Confinement Facilities

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. If any questions on the document, please contact DoD

(b)(5),(b)(6)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)

INSTRUCTIONS: Please complete the following spreadsheet based on the current condition of your facilities. **FCI Florence**

(b)(5)